

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A smoking composition comprising a smokable material, a plurality of metallic or carbonaceous catalytic particles having a mean average or a mode average particle size of less than about 20 microns, and a nitrate or nitrite source, wherein the plurality of metallic or carbonaceous catalytic particles and the nitrate or nitrite source are added to the smokable material after a casing solution is added to the smokable material, and wherein the plurality of metallic or carbonaceous catalytic particles and the nitrate or nitrite source are added to the smokable material separately.

2. (Original) The composition of claim 1 wherein the smokable material comprises tobacco.

3. (Original) The composition of claim 1 wherein the tobacco has a reduced or a negligible nicotine content.

4. (Currently amended) The composition of claim 1 wherein the tobacco has a reduced or a negligible content of one or more ~~tobacco-specific~~ nitrosamines.

5. (Original) The composition of claim 1 wherein the mean average particle size of the catalytic particles is about 15 μm or less.

6. (Original) The composition of claim 5 wherein the mean average particle size as measured by light scattering of the catalytic particles is from about 4 μm to about 15 μm .

7. (Original) The composition of claim 1 wherein the mode average particle size as measured by light scattering of the catalytic particles is about 15 μm or less.

8. (Original) The composition of claim 7 wherein the mode average particle size of the catalytic particles is from about 6 μm to about 13 μm .

9. (Currently amended) The composition of claim 1 wherein the plurality of metallic or carbonaceous catalytic particles ~~comprise~~ comprises at least one noble metal.

10. (Currently amended) The composition of claim 4 9 wherein the ~~at least one~~ noble metal comprises palladium.

11. (Currently amended) The composition of claim 10, wherein said plurality of metallic or carbonaceous catalytic particles ~~comprise~~ comprises crystalline palladium particles of less than 1 μm in diameter as measured by X-ray diffraction.

12. (Original) The composition of claim 10, wherein said catalytic particles comprise crystalline palladium particles of from about 50 nm to about 200 nm in average diameter.

13. (Currently amended) The composition of claim + 10 wherein the plurality of metallic or carbonaceous catalytic particles comprises crystalline palladium particles is derived from ammonium tetrachloropalladate.

14. (Original) The composition of claim 1 wherein the smoking ~~composition~~ comprises from about 500 ppm to about 1500 ppm metal or carbon in a form of catalytic particles.

15. (Original) The composition of claim 14 wherein the smoking composition comprises from about 700 ppm to about 1000 ppm metal or carbon in the form of catalytic particles.

16. (Original) The composition of claim 14 wherein the smoking composition comprises about 800 ppm metal or carbon in the form of catalytic particles.

17. (Original) The composition of claim 1 wherein the nitrate or nitrite source comprises a nitrate or nitrite salt.

18. (Original) The composition of claim 17 wherein the nitrate salt comprises $\text{Mg}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$.

19. (Original) The composition of claim 1 wherein the smoking composition comprises from about 0.4 wt. % to about 1.5 wt. % nitrogen in the form of nitrate or nitrite.

20. (Original) The composition of claim 1 wherein the smoking composition comprises from about 0.6 wt. % to about 1.1 wt. % nitrogen in the form of nitrate or nitrite.

21. (Original) The composition of claim 1 wherein the smoking composition comprises about 0.9 wt. % nitrogen in the form of nitrate or nitrite.

22. (Currently amended) The composition of claim 1, wherein the smoking composition further comprises a cavity filter, wherein the cavity filter is substantially filled with an active carbon or active charcoal, wherein the cavity filter is in communication with the smokable material such that, in use, a smoke from the smokable material is drawn through the cavity filter.

23. (Original) The composition of claim 22, wherein the cavity filter is approximately 100 vol. % filled with an active carbon or active charcoal.

24. (Currently amended) A method of making a smoking composition that comprises a smokable material and exhibits a reduction in at least one ~~undesirable~~ component arising from pyrolytic reactions of the smokable material, said method comprising the steps of:

providing said smokable material;

applying a casing solution to the smokable material; thereafter

applying a plurality of metallic or carbonaceous catalytic particles having a mean average or a mode average particle size of less than about 20 microns to the smokable material in a form separate from the casing solution; and

applying a nitrate or nitrite source in a form separate from the casing solution and in a form separate from the plurality of metallic or carbonaceous catalytic particles to the smokable material, before, after or simultaneously with applying the plurality of particles; and

~~forming the smokable material into the,~~ but after applying the casing solution, whereby a smoking composition is obtained.

25. (Currently amended) The method of claim 24 wherein the ~~undesirable~~ component comprises a polyaromatic hydrocarbon.

26-27. (Cancelled)

28. (Currently amended) The method of claim 24 wherein the ~~undesirable~~ component comprises an azaarene.

29. (Currently amended) The method of claim 24 wherein the ~~undesirable~~ component comprises carbazole.

30. (Currently amended) The method of claim 24 wherein the ~~undesirable~~ component comprises a phenolic compound.

31. (Original) The method of claim 30 wherein the phenolic compound comprises phenol or catechol.

32. (Currently amended) A method of smoking a smoking composition with reduced exposure to a carcinogenic substance, the carcinogenic substance arising from pyrolytic reactions of a smokable material contained within the smoking composition, the method comprising the steps of:

providing ~~the~~ a smoking composition, the smoking composition comprising said a smokable material, a plurality of metallic or carbonaceous catalytic particles having a

~~mean average or amode~~ a mode average particle size of less than about 20 microns, and a nitrate or nitrite source, wherein the plurality of metallic or carbonaceous catalytic particles and the nitrate or nitrite source are added to the smokable material after a casing solution is added to the smokable material, and wherein the plurality of metallic or carbonaceous catalytic particles and the nitrate or nitrite source are added to the smokable material separately; and

combusting the smoking composition, whereby a smoke is produced, wherein the smoke comprises a reduced amount of the carcinogenic substance relative to the smokable material alone wherein a concentration of a carcinogenic substance in the smoke from the smoking composition is less than a concentration of the carcinogenic substance in a smoke from the smokable material.

33. (Original) The method of claim 32 wherein the smokable material comprises tobacco.

34. (Original) The method of claim 33 wherein the smoke comprises mainstream smoke.

35. (Cancelled)

36. (Original) The method of claim 33 wherein the smoke comprises sidestream smoke.

37. (Cancelled)

38. (Currently amended) A method of smoking a cigarette with reduced exposure to ~~an undesirable~~ a component of cigarette smoke, the method comprising the steps of:

providing the cigarette comprising tobacco, a plurality of metallic or carbonaceous catalytic particles having a mean average or a mode average particle size of less than about 20 microns, and a nitrate or nitrite source, wherein the plurality of metallic or carbonaceous catalytic particles and the nitrate or nitrite source are added to the tobacco after a casing solution is added to the tobacco, and wherein the plurality of metallic or carbonaceous catalytic particles and the nitrate or nitrite source are added to the tobacco separately; and

combusting the ~~tobacco composition~~ cigarette, whereby a cigarette smoke is produced, wherein the cigarette smoke comprises a reduced amount of an undesirable a substance.

39. (Original) The method of claim 38 wherein the cigarette smoke comprises mainstream smoke.

40. (Cancelled)

41. (Original) The method of claim 38 wherein the cigarette smoke comprises sidestream smoke.

42. (Cancelled)

43. (Currently amended) The method of claim 38 wherein the ~~undesirable~~ substance comprises a polyaromatic hydrocarbon.

44. (Cancelled)

45. (Currently amended) The method of claim 38 wherein the ~~undesirable~~ substance comprises an azaarene.

46. (Currently amended) The method of claim 38 wherein the ~~undesirable~~ substance comprises carbazole.

47. (Currently amended) The method of claim 38 wherein the ~~undesirable~~ substance comprises a phenolic compound.

48. (Original) The method of claim 47 wherein the phenolic compound comprises phenol or catechol.

49. (New) The composition of claim 1 wherein the smoking composition comprises at least about 0.7 wt. % nitrogen in the form of nitrate or nitrite.

50. (New) The composition of claim 1 wherein the smoking composition comprises at least about 0.8 wt. % nitrogen in the form of nitrate or nitrite.
